

Display Format	Picture	Model No.	Size (")	Outline Dimension (mm)	Active Area	View Direction	Interface	IC Part No.	Control-Board	Brightness (cd/ m ²)	Touch Screen Option	Temperature (°C)	O-Film Option
80x160		WF0096A	0.96	13.5x27.95	10.8x21.696	IPS	SPI	ST7735S	No	500	PCAP	-20~70	N/A
240x240		WF0128B	1.28	35.6x37.74	32.4x32.4	IPS	SPI	GC9A01	No	400	PCAP	-20~70	N/A
128x160		WF18F	1.77	34x45.83	28.03 x 35.04	6H	MCU	ST7735S	No	500	No	-20~70	
128x160		WF18G	1.77	34x45.83	28.03 x 35.04	6H	SPI	ST7735S	No	500	No	-20~70	
128x160		WF18HS	1.77	34x45.83	28.03 x 35.04	6H	SPI	ST7735S	No	900	No	-20~70	
240x320		WF0200B	2	38.8x52.3	30.6x40.8	IPS	SPI,MCU	ST7789VI	No	950	PCAP	-20~70	N/A
240x320		WF24H	2.4	42.72x60.26	36.72x48.96	6H	MCU	ILI9341	No	500	No	-20~70	
240x320		WF24L	2.4	42.72x60.26	36.72x48.96	IPS	SPI, MCU	ILI9341	No	500	No	-20~70	N/A
240x320		WF24M	2.4	42.72x60.26	36.72x48.96	6H	SPI	ST7789V	No	500	RTP	-20~70	
240x320		WF28E	2.8	50x69.2	43.2x57.6	6H	MCU	ILI9341	No	500	RTP	-20~70	
240x320		WF28JS	2.8	50.5x69.7	43.2x57.6	IPS	SPI, MCU	ILI9341V	No	1000	No	-20~70	N/A
240x320		WF28J	2.8	50.5x69.7	43.2x57.6	IPS	SPI, MCU	ILI9341V	No	500	No	-20~70	N/A
240x320		WF28K	2.8	50x69.2	43.2x57.6	6H	SPI	ST7789V	No	350	RTP	-20~70	
240x320		WF32D	3.2	55.04x77.6	48.6x64.8	6H	8080, SPI, MCU	ILI9341	No	500 (1000 option)	RTP	-20~70	
320x480		WF35H	3.5	52.96x81.34	48.96x73.44	6H	MCU	ILI9488	No	320	No	-20~70	
320x240		WF35LT	3.5	76.9x63.9	70.08x52.56	12H	RGB (SPI Option)	--	No	420	RTP, PCAP	-20~70	Yes
320x240		WF35LS	3.5	76.9x63.9	70.08x52.56	12H	RGB (SPI Option)	--	No	1100	RTP, PCAP	-20~70	
320x240		WF35P	3.5	93.5x63.44	70.08x52.56	12H	MCU	RA8875	Yes	420	RTP, PCAP	-20~70	

Display Format	Picture	Model No.	Size (")	Outline Dimension (mm)	Active Area	View Direction	Interface	IC Part No.	Control-Board	Brightness (cd/ m ²)	Touch Screen Option	Temperature (°C)	O-Film Option
320x240		WF35Q	3.5	93.5x63.44	70.08x52.56	12H	MCU	SSD1963	Yes	420	RTP, PCAP	-20~70	
320x240		WF35R	3.5	76.84x63.84	70.08x52.56	12H	SPI, MCU, RGB	SSD2119	No	400	No	-20~70	
320x240		WF35T	3.5	76.9x63.9	70.08x52.56	12H	RGB	--	No	420	No	-30~80	
320x480		WF35U	3.5	54.5x83	48.96x73.44	IPS	SPI, MCU, RGB	ILI9488	No	600	RTP, PCAP	-20~70	N/A
320x480		WF35U	3.5	54.5x83	48.96x73.44	IPS	MIPI DSI	ILI9488	No	600	RTP, PCAP	-20~70	N/A
320x240		WF35XT	3.5	76.84x63.84	70.08x52.56	IPS	RGB	ST7272A	No	500	No	-20~70	N/A
320x240		WF35XS	3.5	76.84x63.84	70.08x52.56	IPS	RGB	ST7272A	No	1000	No	-20~70	N/A
320x240		WF35Y	3.5	76.84x63.84	70.08x52.56	12H	RGB	--	No	420	RTP	-20~70	
480x128 (BAR)		WF39BT	3.9	105.5x37	95.04x25.34	6H	RGB	HX8278-A	No	500	RTP, PCAP	-20~70	Yes
480x128 (BAR)		WF39BS	3.9	105.5x37	95.04x25.34	6H	RGB	HX8278-A	No	1000	No	-30~80	
480x128 (BAR)		WF39C	3.9	105.5x37	95.04x25.34	12H	RGB	HX8278-A	No	500	RTP, PCAP	-20~70	
480x128 (BAR)		WF39D	3.9	105.5x42.25	95.04x25.34	6H	HDMI (CN)	TFP401	Yes	500	No	-20~70	
480x128 (BAR)		WF39ET	3.9	105.5x37	95.04x25.34	IPS	RGB	SC7283	No	500	PCAP	-30~85	N/A
480x128 (BAR)		WF39ES	3.9	105.5x37.0	95.04x25.34	IPS	RGB	SC7283	No	1000	PCAP	-30~85	N/A
480x128 (BAR)		WF39Q	3.9	122x44	95.04x25.34	12H	MCU	SSD1963	Yes	500	PCAP	-20~70	
800x480		WF40C	3.97	57.14x96.85	51.84x86.4	IPS	MIPI DSI	ST7701S	No	600	No	-20~70	N/A
480x480		WF40ET	4	78.8x82.95	71.856x70.176	IPS	MIPI DSI	ST7701S	No	500	No	-30~70	N/A
480x480		WF40ES	4	78.8x82.95	71.856x70.176	IPS	MIPI DSI	ST7701S	No	1000	RTP	-30~70	N/A

Display Format	Picture	Model No.	Size (")	Outline Dimension (mm)	Active Area	View Direction	Interface	IC Part No.	Control-Board	Brightness (cd/ m ²)	Touch Screen Option	Temperature (°C)	O-Film Option
480x272		WF43B	4.3	105.5x67.2	95.04x53.85	6H	8080	SSD1963	Yes	300	No	-20~70	
480x272		WF43E	4.3	105.5x67.2	95.04x53.86	6H	RGB	--	No	500	PCAP	-20~70	
480x272		WF43GT	4.3	105.5x67.2	95.04x53.856	12H	RGB	--	Option	500	RTP, PCAP	-20~70	
480x272		WF43GS	4.3	105.5x67.2	95.04x53.856	12H	RGB	--	No	1000	PCAP	-20~70	
480x272		WF43M	4.3	125.5x67.2	95.04x53.86	12H	SPI, UART	PIC24	Yes	500	RTP, PCAP	-20~70	
480x272		WF43P	4.3	106.7x83.98	95.04x53.856	12H	MCU	RA8875	Yes	350	RTP	-20~70	
480x272		WF43Q	4.3	106.7x69.6	95.04x53.856	12H	MCU	SSD1963	Yes	500	RTP, PCAP	-20~70	
480x272		WF43S	4.3	105.5x67.2	95.04x53.856	VA Glass	RGB	--	No	600	No	-30~80	
480x272		WF43T	4.3	105.5x67.2	95.04x53.86	VA Glass	RGB	--	No	500	No	-30~80	
480x272		WF43U	4.3	105.4x67.1	95.04x53.856	12H	RGB	ST7282-G4-1L	No	600	RTP, PCAP	-20~70	
480x272		WF43VT	4.3	105.5x67.2	95.04x53.856	12H	RGB	ST7282-G4-1L	No	500	RTP, PCAP	-20~70	Yes
480x272		WF43VS	4.3	105.5x67.2	95.04x53.856	12H	RGB	ST7282-G4-1L	No	1000	RTP, PCAP	-20~70	yes
480x272		WF43WT	4.3	105.5x67.2	95.04x53.856	IPS	RGB	SC7283	No	500	No	-30~80	N/A
480x272		WF43WS	4.3	105.5x67.2	95.04x53.856	IPS	RGB	SC7283	No	1000	No	-30~80	N/A
480x272		WF43WS	4.3	105.5x84.2	95.04x53.856	IPS	HDMI / Raspberry Pi	TFP401	Yes	1000	RTP, PCAP	-20~70	N/A
480x272		WF43XT	4.3	105.5x67.2	95.04x53.856	IPS	RGB	HX8264+ HX8664	No	600	PCAP	-30~80	N/A
480x272		WF43XS	4.3	105.5x67.2	95.04x53.856	IPS	RGB	HX8264+ HX8664	No	1000	PCAP	-30~80	N/A
480x272		WF43Y	4.3	105.5x67.2	95.04x53.86	12H	RGB	--	No	500	RTP	-20~70	

Display Format	Picture	Model No.	Size (")	Outline Dimension (mm)	Active Area	View Direction	Interface	IC Part No.	Control-Board	Brightness (cd/ m ²)	Touch Screen Option	Temperature (°C)	O-Film Option
800x320		WF46A	4.6	120.7x56.16	108x43.2	12H	RGB	--	No	400	No	-20~70	
800x480		WF50A	5	120.7x76.3	108x64.8	12H	RGB	--	No	420	No	-20~70	
720x1280		WF50DT	5	66.1x120.4	62.1x110.4	IPS	MIPI DSI	ILI9881C	No	300	PCAP	-20~70	N/A
720x1280		WF50DS	5	68.4x122.7	62.1x110.4	IPS	MIPI DSI	ILI9881C	No	1100	No	-20~70	N/A
800x480		WF50ET	5	121x77.4	108x64.8	IPS	RGB	HX8249-A+ HX8678-C	No	500	No	-30~80	N/A
800x480		WF50ES	5	121x77.4	108x64.8	IPS	RGB	HX8249-A+ HX8678-C	No	1000	No	-30~80	N/A
800x480		WF50FT	5	120.7x75.8	108x64.8	IPS	RGB	ST7262	No	500	No	-30~80	N/A
800x480		WF50FS	5	120.7x75.8	108x64.8	IPS	RGB	ST7262	No	1000	No	-30~80	N/A
800x480		WF50FS	5	120.7x75.8	108x64.8	IPS	HDMI / Raspberry Pi	TFP401	Yes	750	PCAP	-20~70	N/A
800x480		WF50Q	5	120.7x75.8	108.0x64.8	12H	MCU	SSD1963	Yes	500	No	-20~70	
480x128 (BAR)		WF52AT	5.2	140.4x49.87	127.152x33.9072	6H	RGB	ST7252	No	500	RTP, PCAP	-20~70	Yes
480x128 (BAR)		WF52AS	5.2	140.4x49.87	127.152x33.9072	6H	RGB	ST7252	No	1100	PCAP	-20~70	Yes
480x128 (BAR)		WF52AS	5.2	180x75.8	127.152x33.9072	O-TFT	HDMI / Raspberry Pi	TFP401	Yes	700	No	-20~70	Yes
480x128 (BAR)		WF52B	5.2	140.4x49.87	127.152x33.9072	12H	RGB	ST7252	No	500	RTP, PCAP	-20~70	
480x128 (BAR)		WF52QT	5.2	180x65x8.8	127.152x33.9072	6H	MCU	SSD1963	Yes	500	PCAP	-20~70	Yes
480x128 (BAR)		WF52QS	5.2	180x65	127.152x33.9072	O-TFT	MCU	SSD1963	Yes	850	No	-20~70	Yes
320x240		WF57A3	5.7	141.12x101.55	115.2x86.4	12H	RGB	HX8218 +HX8615	No	900	RTP	-20~70	
320x240		WF57W	5.7	143.5x104.1	115.2x86.4	6H	RGB	HX8218 +HX8615	No	500	RTP	-20~70	Yes

Display Format	Picture	Model No.	Size (")	Outline Dimension (mm)	Active Area	View Direction	Interface	IC Part No.	Control-Board	Brightness (cd/ m ²)	Touch Screen Option	Temperature (°C)	O-Film Option
320x240		WF57X	5.7	126x101.55	115.29x86.4	12H	RGB	HX8218 +HX8615	option	900	RTP, PCAP	-20~70	Yes
320x240		WF57Z	5.7	141.12x101.55	115.2x86.4	12H	RGB	HX8218 +HX8615	No	900	RTP	-20~70	Yes
640x480		WF57F	5.7	125x98.8	115.2x86.4	6H	RGB		option	500	RTP	-20~70	
800x480		WF70A2T	7	165x100	154.08x85.92	12H	RGB	ST-5623	No	400	RTP, PCAP	-20~70	
800x480		WF70A2S	7	165x100	154.08x85.92	12H	RGB	ST-5623	No	900	RTP, PCAP	-20~70	Yes
800x480		WF70A2	7	165x100	154.08x85.92	12H	HDMI / Raspberry Pi	TFP401	Yes	250	RTP, PCAP	-20~70	Yes
800x480		WF70A4	7	165.8x106.61	152.4x91.44	IPS	RGB	NT51632T+ NT52601TT	No	1000	No	-30~80	N/A
800x480		WF70A6	7	165.05x104.87	152.4x91.44	12H	RGB	HX8262+ HX8678	Option	460	RTP, PCAP	-20~70	
1024x600		WF70A7T	7	164.8x99.8	154.2114x85.92	12H	LVDS	EK79001HE+ EK73215BCGA	No	600	No	-20~70	Yes
1024x600		WF70A7S	7	169.9x103.4	154.2114x85.92	12H	LVDS	EK79001HE+ EK73215BCGA	No	1100	No	-20~70	Yes
1024x600		WF70A7TIAHLNB0	7	202x135.5	154.2114x85.92	12H	LVDS	EK79001HE+ EK73215BCGA	No	450	PCAP	-20~70	Yes
1024x600		WF70A7	7	165x99.8	154.2114x85.92	12H	HDMI / Raspberry Pi	TFP401	Yes	400	RTP, PCAP	-20~70	Yes
1024x600		WF70A8	7	169.9x103.4	154.2114x85.92	IPS	LVDS	ST5021+ ST5651	No	600	RTP, PCAP	-20~70	N/A
1024x600		WF70A8	7	169.9x103.4	154.2144x85.92	IPS	HDMI / Raspberry Pi	TFP401	Yes	450	PCAP	-20~70	N/A
800x480		WF70B2	7	165 x 100.0	154.08 x 85.92	12H	RGB	HX8264-E+ HX8664-B	No	700	PCAP	-20~70	
1024x600		WF70A8S	7	169.9x103.4	154.2144x85.92	IPS	LVDS	ST5021+ ST5651	No	1100	RTP, PCAP	-20~70	N/A
1024x600		WF70A8T	7	169.9x103.4	154.2144x85.92	IPS	LVDS	ST5021+ ST5651	No	600	RTP, PCAP	-20~70	N/A
800x480		WF70A9T	7	165.8x106.61	152.4x91.44	IPS	RGB	HX8249-A+ HX8678-C	No	500	PCAP	-30~80	N/A

Display Format	Picture	Model No.	Size (")	Outline Dimension (mm)	Active Area	View Direction	Interface	IC Part No.	Control-Board	Brightness (cd/ m ²)	Touch Screen Option	Temperature (°C)	O-Film Option
800x480		WF70A9S	7	165.8x106.61	152.4x91.44	IPS	RGB	HX8249-A+ HX8678-C	No	1000	PCAP	-30-80	N/A
800x480		WF70R	7	164.9x100	154.08x85.92	12H	RGB	--	No	400	RTP	-30-85	
800x480		WF70Y	7	165x100	154.08x85.92	12H	RGB	--	No	460	RTP	-20-70	
800x480		WF70B2	7	165 x 100	154.08x85.92	12H	RGB	HX8264-E+ HX8664-B	No	700	PCAP	-20-70	
800x480		WF70B8	7	165.8x106.61	152.4x91.44	IPS	RGB	HX8249-A + HX8678-C	No	1000	RTP, PCAP	-30-80	N/A
280x1424 (BAR)		WF70C3	7	186.62x38.2	170.88x33.6	IPS	MIPI DSI	OTA7290B	no	550	PCAP	-20-70	N/A
800x480		WF80B	8	192.8x116.9	176.64x99.36	12H	RGB	--	No	450	RTP	-30-85	
800x480		WF80PT	8	192.8x116.9	176.64x99.36	12H	MCU	RA8875	Yes	450	RTP	-20-70	
800x480		WF80Q	8	192.8x116.9	176.64x99.36	12H	MCU	SSD1963	Yes	450	RTP	-20-70	
1024x768		WF0840AT	8.4	199.5x149	170.8032x128.1024	IPS	LVDS	ST5821AH+ ST5084AA	No	500	PCAP	-30-80	N/A
1024x768		WF0840AS	8.4	199.5x149	170.8032x128.1024	IPS	LVDS	ST5821AH+ ST5084AA	No	1000	PCAP	-30-80	N/A
480x1920 (BAR)		WF88B	8.8	231.3x64.3	218.88x54.72	IPS	MIPI DSI	--	No	600	No	-20-70	N/A
1024x600		WF90B	9	211.1x126.5	196.608x114.15	IPS	LVDS	--	No	500	No	-30-85	N/A
1280x800		WF101G	10.1	229.34x148.98	216.96x135.6	IPS	LVDS	--	No	350	RTP, PCAP	-20-70	N/A
1024x600		WF101J	10.1	235x143	222.72x125.28	IPS	LVDS	EK79001HE+ EK73215BCGA	no	500	RTP, PCAP	-20-70	N/A
1024x600		WF101JS	10.1	235x143	222.72x125.28	IPS	LVDS	EK79001HE+ EK73215BCGA	no	1100	RTP, PCAP	-20-70	N/A
1024x600		WF101JSYFHLHxV	10.1	235x143	222.72x125.28	IPS	HDMI (CN)	TFP401	Yes	850	RTP, PCAP	-20-70	
1280x800		WF101K	10.1	229.34x148.98	216.96x135.6	IPS	LVDS	EK79202B1	No	350	No	-20-70	N/A

Display Format	Picture	Model No.	Size (")	Outline Dimension (mm)	Active Area	View Direction	Interface	IC Part No.	Control-Board	Brightness (cd/ m ²)	Touch Screen Option	Temperature (°C)	O-Film Option
1280x800		WF101L	10.1	230.56x155.01	216.96x135.6	IPS	LVDS	EK79202B1	No	1100	No	-20~70	N/A
1280x800		WF101LS	10.1	230.56x155.01	216.96x135.6	IPS	HDMI / Raspberry Pi	TFP401	Yes	750	RTP, PCAP	-20~70	N/A
1920x1200		WF101N	10.1	231.4x152.3	216x8064x135.504	IPS	LVDS	HX8290-B	No	500	PCAP	-20~70	N/A
800x480		WF102A	10.2	235x145.8	222.0x132.48	12H	RGB	--	No	350	RTP	-30~85	
800x480		WF102P	10.2	235x145.8	222x132.48	12H	MCU	RA8875	Yes	350	RTP	-20~70	
800x480		WF102Q	10.2	235x145.8	222x132.48	12H	MCU	SSD1963	Yes	350	RTP	-20~70	
1024x768		WF104F	10.4	236.0x176.9	211.2x158.4	6H	LVDS	--	No	350	No	-20~70	
1024x768		WF104GT	10.4	230x180.2	210.432x157.824	IPS	LVDS	--	No	500	PCAP	-30~80	N/A
1024x768		WF104GS	10.4	230x180.2	210.432x157.824	IPS	LVDS	--	No	1000	PCAP	-30~80	N/A
1280x800		WF121B	12.1	278x184	261.12x163.2	IPS	LVDS	--	No	400	No	-20~70	N/A
1024x768		WF121E	12.1	260.5x204.0	245.76x184.32	IPS	LVDS	--	No	600	No	-30~80	N/A
1920x720 (BAR)		WF123B	12.3	308.10x130.00	292.032x109.512	IPS	2 ch LVDS	--	No	800	No	-30~85	N/A
1024x768		WF150A	15	354.1x277.1	304.1x228.1	IPS	LVDS	--	No	250	PCAP	-20~70	N/A